

检测报告

委托单位: 上海轶峰新材料股份有限公司
单位地址: 上海市奉贤区西韩路228号10幢

以下测试样品信息是由申请者所提供及确认:

样品名称: 低烟无卤配线槽
样品状态: 固体
样品数量: 1袋

样品接收日期: 2023. 03. 12
服务等级: /
测试周期: 2023. 03. 12~2023. 03. 21

测试要求: SJTY-ZT-002
测试方法: 请参见下一页
测试结果: 请参见下一页

备注: 本报告以前的所有版本均不再有效。

编制:

金梦冰

审核:

蔚厚先

批准:

柳亚雄

上海佑量检测技术有限公司

签发日期: 2023. 03. 21

检验检测专用章

报告真伪查询网址: <https://tsa.nmdc.ac.cn/tsa/web/#/verify/lims>

上海佑量检测技术有限公司
地址: 中国上海市闵行区江月路999号5幢303室 电话: 021-26018232
邮箱: info@ulstesting.com 网址: http://www.ulstesting.com

检测项目: 甲醛

1. 检测环境/Test Ambient:

温度: (23~25) °C 相对湿度: (50~60) %RH

2. 检测设备/ Test Instruments:

表1检测设备

序号	设备名称	设备管理号	计量有效期
1	低温二次全自动热解吸仪	WXR016C	/
2	气质联用仪	WXR014C	2022/10/21~2023/10/20
3	液相色谱仪	WXR013C	2022/10/21~2023/10/20

3. 检测依据/Test Method:

SJTY-ZT-002《车内主要零部件和材料的甲醛和挥发性有机化合物技术规范》D版

*** 下一页 ***


检测结果:

样件信息	样件名称(样件编号)		低烟无卤配线槽				
	测试样件尺寸		/	重量		/	
	样品生产日期		/	样品采样日期		2023-03-17	
	样品接收日期		2023-03-14	样品分析日期		2023-03-19	
	温度/湿度/存放时间		(23 ±2) ° C, (50 ±5)%, 24h				
	处理时间/条件		无				
采样条件	采样袋规格(L)		50	捕集流速(TENAX) (mL/min)		200	
	充入氮气体积(L)		25	捕集体积(TENAX)(L)		3	
	恒温温度(° C)		25	捕集流速(DNPH) (mL/min)		800	
	恒温时间(h)		16	捕集体积(DNPH)(L)		12	
分析条件	TD-GC-MS	TD	Auto-TDS-V		HPTC	HPLC	SHIMADZU (LC-20AT)
		GC-MS	7820A/5977B			流动相	乙睛/水
		色谱柱	HP-5			色谱柱	Eclipse Plus C18
		分流比	30:1			注入体积	10 gL
测试结果	检测项目		捕集管捕集量(ug/tube)			样件挥发量(mg/m³)	
	甲醛		0.406			0.034	
	乙醛		N.D.			N.D.	
	丙烯醛		N.D.			N.D.	
	苯		N.D.			N.D.	
	甲苯		0.214			0.071	
	二甲苯	对(间)二甲苯	N.D.			N.D.	
		邻二甲苯	N.D.			N.D.	
	乙苯		N.D.			N.D.	
	苯乙烯		N.D.			N.D.	
	TVOC (C6-C16)		0.562			0.187	

备注: 1) MDL=方法检出限;
 2) N. D. =未检出(<MDL0.004mg/m³);
 3) 所有测试项目由认可的分包商进行测试。

*** 下一页 ***

样品图片:



报告结束

Please note that every statement made in this report is only valid for the samples tested and reported herein. Samples were provided by applicant. Without consent of the testing organization, this report shall not be reproduced except in full and the clients shall not be unauthorized use of test results for improper propaganda. ULSTESTING declines any responsibility with deviations required by the customer that may affect the validity of result. The information is provided by the customer in this report may affect the validity of the results; the test lab is not responsible for it. The measurement result is considered in conformance with the requirement if it is within the prescribed limit, It is not necessary to calculate the uncertainty associated with the measurement result, unless the specification, standard or customer have special requirements. The data and results of this test report can only be used for scientific research, teaching, internal quality control.

上海佑量检测技术有限公司
地址: 中国上海市闵行区江月路999号5幢303室 电话: 021-26018232
邮箱: info@ulstesting.com 网址: <http://www.ulstesting.com>