

8YU 標準皮帶寬

皮帶寬代號	20	25	30	35	40	45	50	55	60	65	70	75	80	85
皮帶寬(mm)	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0

齒輪節圓直徑 (PD) = $\frac{P \times N}{\pi}$
 齒輪外徑 (OD) = PD + 2 × PLD
 P : 皮帶齒距(mm) $\pi = 3.14159$
 N : 皮帶齒輪齒數 8YU · PLD : 0.686mm

8YU 皮帶長度


規格	長度(mm)	齒數
312-8YU	312.0	39
328-8YU	328.0	41
344-8YU	344.0	43
408-8YU	408.0	51
416-8YU	416.0	52
432-8YU	432.0	54
440-8YU	440.0	55
464-8YU	464.0	58
472-8YU	472.0	59
480-8YU	480.0	60
488-8YU	488.0	61
504-8YU	504.0	63
512-8YU	512.0	64
520-8YU	520.0	65
536-8YU	536.0	67
544-8YU	544.0	68
552-8YU	552.0	69
560-8YU	560.0	70
576-8YU	576.0	72
600-8YU	600.0	75
608-8YU	608.0	76
616-8YU	616.0	77
624-8YU	624.0	78
632-8YU	632.0	79
640-8YU	640.0	80
656-8YU	656.0	82
664-8YU	664.0	83
680-8YU	680.0	85
704-8YU	704.0	88
720-8YU	720.0	90
728-8YU	728.0	91
744-8YU	744.0	93
752-8YU	752.0	94
760-8YU	760.0	95
768-8YU	768.0	96
776-8YU	776.0	97
784-8YU	784.0	98
792-8YU	792.0	99
800-8YU	800.0	100
808-8YU	808.0	101
816-8YU	816.0	102
824-8YU	824.0	103
832-8YU	832.0	104
840-8YU	840.0	105
848-8YU	848.0	106

規格	長度(mm)	齒數
856-8YU	856.0	107
864-8YU	864.0	108
872-8YU	872.0	109
880-8YU	880.0	110
888-8YU	888.0	111
896-8YU	896.0	112
904-8YU	904.0	113
912-8YU	912.0	114
920-8YU	920.0	115
928-8YU	928.0	116
936-8YU	936.0	117
944-8YU	944.0	118
952-8YU	952.0	119
960-8YU	960.0	120
968-8YU	968.0	121
976-8YU	976.0	122
984-8YU	984.0	123
992-8YU	992.0	124
1000-8YU	1000.0	125
1008-8YU	1008.0	126
1016-8YU	1016.0	127
1032-8YU	1032.0	129
1040-8YU	1040.0	130
1056-8YU	1056.0	132
1064-8YU	1064.0	133
1072-8YU	1072.0	134
1080-8YU	1080.0	135
1088-8YU	1088.0	136
1096-8YU	1096.0	137
1112-8YU	1112.0	139
1120-8YU	1120.0	140
1128-8YU	1128.0	141
1136-8YU	1136.0	142
1144-8YU	1144.0	143
1152-8YU	1152.0	144
1160-8YU	1160.0	145
1168-8YU	1168.0	146
1176-8YU	1176.0	147
1184-8YU	1184.0	148
1192-8YU	1192.0	149
1200-8YU	1200.0	150
1208-8YU	1208.0	151
1216-8YU	1216.0	152
1224-8YU	1224.0	153
1232-8YU	1232.0	154


規格	長度(mm)	齒數
1240-8YU	1240.0	155
1248-8YU	1248.0	156
1256-8YU	1256.0	157
1264-8YU	1264.0	158
1272-8YU	1272.0	159
1280-8YU	1280.0	160
1288-8YU	1288.0	161
1296-8YU	1296.0	162
1304-8YU	1304.0	163
1312-8YU	1312.0	164
1320-8YU	1320.0	165
1328-8YU	1328.0	166
1336-8YU	1336.0	167
1344-8YU	1344.0	168
1352-8YU	1352.0	169
1360-8YU	1360.0	170
1376-8YU	1376.0	172
1384-8YU	1384.0	173
1392-8YU	1392.0	174
1400-8YU	1400.0	175
1416-8YU	1416.0	177
1424-8YU	1424.0	178
1440-8YU	1440.0	180
1448-8YU	1448.0	181
1456-8YU	1456.0	182
1464-8YU	1464.0	183
1480-8YU	1480.0	185
1496-8YU	1496.0	187
1520-8YU	1520.0	190
1544-8YU	1544.0	193
1568-8YU	1568.0	196
1576-8YU	1576.0	197
1600-8YU	1600.0	200
1608-8YU	1608.0	201
1616-8YU	1616.0	202
1640-8YU	1640.0	205
1656-8YU	1656.0	207
1680-8YU	1680.0	210
1688-8YU	1688.0	211
1696-8YU	1696.0	212
1720-8YU	1720.0	215
1728-8YU	1728.0	216
1736-8YU	1736.0	217
1752-8YU	1752.0	219
1760-8YU	1760.0	220

規格	長度(mm)	齒數
1768-8YU	1768.0	221
1776-8YU	1776.0	222
1784-8YU	1784.0	223
1808-8YU	1808.0	226
1816-8YU	1816.0	227
1824-8YU	1824.0	228
1856-8YU	1856.0	232
1864-8YU	1864.0	233
1872-8YU	1872.0	234
1888-8YU	1888.0	236
1896-8YU	1896.0	237
1912-8YU	1912.0	239
1928-8YU	1928.0	241
1944-8YU	1944.0	243
1952-8YU	1952.0	244
1976-8YU	1976.0	247
2000-8YU	2000.0	250
2056-8YU	2056.0	257
2072-8YU	2072.0	259
2120-8YU	2120.0	265
2136-8YU	2136.0	267
2160-8YU	2160.0	270
2240-8YU	2240.0	280
2248-8YU	2248.0	281
2264-8YU	2264.0	283
2280-8YU	2280.0	285
2296-8YU	2296.0	287
2304-8YU	2304.0	288
2400-8YU	2400.0	300
2456-8YU	2456.0	307
2600-8YU	2600.0	325
2800-8YU	2800.0	350
3200-8YU	3200.0	400
3440-8YU	3440.0	430
4400-8YU	4400.0	550
5008-8YU	5008.0	626

皮帶齒型尺寸



齒輪齒型尺寸



8YU 皮帶規格(齒距: 8.0mm)

皮帶表示法: 920 8YU 50 規格 寬mm 長度mm


N : 皮帶齒輪齒數 EV8YU · PLD : 0.686mm
 P : 皮帶齒距(mm) $\pi = 3.14159$
 齒輪外徑 (OD) = PD · 2 × PLD
 齒輪節圓直徑 (PD) = $\frac{P \times N}{\pi}$

皮帶寬(mm)	20.0	25.0	30.0	40.0	50.0	60.0	70.0	85.0
皮帶寬代號	20	25	30	40	50	60	70	85

EV8YU 標準皮帶寬

規格	長度(mm)	齒數	規格	長度(mm)	齒數	規格	長度(mm)	齒數
312-EV8YU	312.0	39	1768-EV8YU	1768.0	221	1240-EV8YU	1240.0	155
*328-EV8YU	328.0	41	*1776-EV8YU	1776.0	222	1248-EV8YU	1248.0	156
344-EV8YU	344.0	43	1784-EV8YU	1784.0	223	1256-EV8YU	1256.0	157
408-EV8YU	408.0	51	1808-EV8YU	1808.0	226	1264-EV8YU	1264.0	158
416-EV8YU	416.0	52	1816-EV8YU	1816.0	227	1272-EV8YU	1272.0	159
432-EV8YU	432.0	54	1824-EV8YU	1824.0	228	1280-EV8YU	1280.0	160
440-EV8YU	440.0	55	1832-EV8YU	1832.0	229	1288-EV8YU	1288.0	161
504-EV8YU	504.0	63	*1896-EV8YU	1896.0	237	1320-EV8YU	1320.0	165
488-EV8YU	488.0	61	*1912-EV8YU	1912.0	239	1328-EV8YU	1328.0	166
512-EV8YU	512.0	64	1928-EV8YU	1928.0	241	1336-EV8YU	1336.0	167
520-EV8YU	520.0	65	*1944-EV8YU	1944.0	243	1344-EV8YU	1344.0	168
536-EV8YU	536.0	67	*1952-EV8YU	1952.0	244	1352-EV8YU	1352.0	169
544-EV8YU	544.0	68	*1976-EV8YU	1976.0	247	1360-EV8YU	1360.0	170
552-EV8YU	552.0	69	2000-EV8YU	2000.0	250	1376-EV8YU	1376.0	172
560-EV8YU	560.0	70	*2056-EV8YU	2056.0	257	1384-EV8YU	1384.0	173
576-EV8YU	576.0	72	*2072-EV8YU	2072.0	259	1392-EV8YU	1392.0	174
600-EV8YU	600.0	75	2120-EV8YU	2120.0	265	1400-EV8YU	1400.0	175
608-EV8YU	608.0	76	2136-EV8YU	2136.0	267	1416-EV8YU	1416.0	177
616-EV8YU	616.0	77	2160-EV8YU	2160.0	270	1424-EV8YU	1424.0	178
624-EV8YU	624.0	78	2240-EV8YU	2240.0	280	1440-EV8YU	1440.0	180
632-EV8YU	632.0	79	2248-EV8YU	2248.0	281	1448-EV8YU	1448.0	181
640-EV8YU	640.0	80	2264-EV8YU	2264.0	283	*1456-EV8YU	1456.0	182
656-EV8YU	656.0	82	2280-EV8YU	2280.0	285	1464-EV8YU	1464.0	183
664-EV8YU	664.0	83	2288-EV8YU	2288.0	287	1480-EV8YU	1480.0	185
680-EV8YU	680.0	85	2304-EV8YU	2304.0	288	1496-EV8YU	1496.0	187
704-EV8YU	704.0	88	2328-EV8YU	2328.0	291	1520-EV8YU	1520.0	190
720-EV8YU	720.0	90	2332-EV8YU	2332.0	291	1544-EV8YU	1544.0	193
728-EV8YU	728.0	91	2340-EV8YU	2340.0	291	1568-EV8YU	1568.0	196
*744-EV8YU	744.0	93	2348-EV8YU	2348.0	291	1600-EV8YU	1600.0	200
752-EV8YU	752.0	94	2352-EV8YU	2352.0	291	1608-EV8YU	1608.0	201
760-EV8YU	760.0	95	2356-EV8YU	2356.0	291	1616-EV8YU	1616.0	202
768-EV8YU	768.0	96	2360-EV8YU	2360.0	291	1640-EV8YU	1640.0	205
776-EV8YU	776.0	97	2364-EV8YU	2364.0	291	1656-EV8YU	1656.0	207
784-EV8YU	784.0	98	2368-EV8YU	2368.0	291	1680-EV8YU	1680.0	210
792-EV8YU	792.0	99	2372-EV8YU	2372.0	291	1688-EV8YU	1688.0	211
800-EV8YU	800.0	100	2376-EV8YU	2376.0	291	1696-EV8YU	1696.0	212
808-EV8YU	808.0	101	2380-EV8YU	2380.0	291	*1720-EV8YU	1720.0	215
*816-EV8YU	816.0	102	2384-EV8YU	2384.0	291	1736-EV8YU	1736.0	217
824-EV8YU	824.0	103	2388-EV8YU	2388.0	291	1752-EV8YU	1752.0	219
832-EV8YU	832.0	104	2392-EV8YU	2392.0	291	1760-EV8YU	1760.0	220
840-EV8YU	840.0	105	2396-EV8YU	2396.0	291			
848-EV8YU	848.0	106	2400-EV8YU	2400.0	300			


EV8YU 皮帶長度



皮帶齒型尺寸

皮帶表示法 : 2000 EV8YU 40
 規格 寬度 mm

EV8YU 皮帶規格(齒距 : 8.0mm)



齒輪齒型尺寸



HTD 8M 標準皮帶寬


皮帶寬代號	20	25	30	40	50	60	70	85
皮帶寬(mm)	20.0	25.0	30.0	40.0	50.0	60.0	70.0	85.0

齒輪節圓直徑 (PD) = $\frac{P \times N}{\pi}$
 齒輪外徑 (OD) = PD + 2 × PLD
 P : 皮帶齒距 (mm) $\pi = 3.14159$
 N : 皮帶齒輪齒數 8M · PLD : 0.686mm


規格	長度 (mm)	齒數
*264-8M	264	33
*320-8M	320	40
*376-8M	376	47
*384-8M	384	48
416-8M	416	52
424-8M	424	53
480-8M	480	60
*512-8M	512	64
*520-8M	520	65
560-8M	560	70
*576-8M	576	72
600-8M	600	75
*608-8M	608	76
*624-8M	624	78
640-8M	640	80
*656-8M	656	82
*672-8M	672	84
680-8M	680	85
720-8M	720	90
760-8M	760	95
*776-8M	776	97
800-8M	800	100
840-8M	840	105
856-8M	856	107
880-8M	880	110
896-8M	896	112
*912-8M	912	114
920-8M	920	115
*936-8M	936	117
960-8M	960	120
*968-8M	968	121
*976-8M	976	122
1000-8M	1000	125
1040-8M	1040	130
1056-8M	1056	132
*1064-8M	1064	133
1080-8M	1080	135
1120-8M	1120	140
*1128-8M	1128	141
1144-8M	1144	144
*1160-8M	1160	145
*1176-8M	1176	147
1184-8M	1184	148
1192-8M	1192	149
1200-8M	1200	150

規格	長度 (mm)	齒數
*1216-8M	1216	152
*1224-8M	1224	153
1248-8M	1248	156
1256-8M	1256	157
1264-8M	1264	158
1280-8M	1280	160
1304-8M	1304	163
1320-8M	1320	165
1360-8M	1360	170
1392-8M	1392	174
1400-8M	1400	175
1424-8M	1424	178
*1432-8M	1432	179
1440-8M	1440	180
1480-8M	1480	185
*1512-8M	1512	189
1520-8M	1520	190
*1552-8M	1552	194
*1584-8M	1584	198
1600-8M	1600	200
1680-8M	1680	210
*1696-8M	1696	212
*1728-8M	1728	216
1760-8M	1760	220
1800-8M	1800	225
*1896-8M	1896	237
1904-8M	1904	238
1936-8M	1936	242
2000-8M	2000	250
2056-8M	2056	257
*2080-8M	2080	260
2104-8M	2104	263
2160-8M	2160	270
*2200-8M	2200	275
2240-8M	2240	280
2272-8M	2272	284
2400-8M	2400	300
2504-8M	2504	313
2600-8M	2600	325
2800-8M	2800	350
3048-8M	3048	381
3200-8M	3200	400
3280-8M	3280	410
3360-8M	3360	420
3600-8M	3600	450

皮帶齒型尺寸



齒輪齒型尺寸



HTD 8M 皮帶長度

規格	長度 (mm)	齒數
3824-8M	3824	478
*4400-8M	4400	550
*4960-8M	4960	620